



CERTIFICATE OF APPROVAL

No CAF 151

This is to certify that, in accordance with
TS00 General Requirements for Certification of Fire Protection Products
The undermentioned products of

**Designated CERTIFIRE Approved Door and Blank Manufacturers
as Converted by**

DOOR & JOINERY SOLUTIONS LIMITED

**Unit 3G Manor Drive, Sileby, Leicestershire, LE12 7RZ
Tel: 01509 815511**

Have been assessed against the requirements of the Technical Schedule(s)
denoted below and are approved for use subject to the conditions
appended hereto:

SCOPE OF APPROVAL

**Approved for processing* of fire
doors and/or blanks
manufactured by CERTIFIRE
approved companies as specified
in this certificate: Blank
conversion, apertures; glazing of
apertures and door frames**

TECHNICAL SCHEDULE

**TS10 Fire Resisting Door
Assemblies with non- Metallic
Leaves**

* Not all processes are suitable for all door constructions.

Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited

**Paul Duggan
Certification Manager**

Issued: 9th November 2004
Reissued: 18th December 2024
Valid to: 6th January 2029



EWC-QU-FT-730 (Issue 2)



Page 1 of 6



CERTIFICATE No CAF 151 DOOR & JOINERY SOLUTIONS LIMITED

GLAZED APERTURES and DOOR FRAMES (JB Kind / Irmade)

1. This approval relates to the cutting of apertures with or without glazing in doors supplied by JB Kind / Irmade and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified doors for which the cutting of apertures and subsequent glazing thereof is approved are as following:

Certificate Number	Timber Door Product	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Resizing	Door Assemblies	
						Doorsets	Doors & Frames
CF154	FD30 Doors	✓	✓	✓	×	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Apertures and glazing shall be in accordance with JB Kind / Irmade construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / Current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with JB Kind / Irmade procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control.
9. The approval relates to on-going production.
10. Approved products carry both the original manufacturers CERTIFIRE approval label, and a second label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

E013955-1 & E013955-2
Signed

EWC-QU-FT-730 (Issue 2)

Issued: 9th November 2004
Reissued: 18th December 2024
Valid to: 6th January 2029

Page 2 of 6

CERTIFICATE No CAF 151 DOOR & JOINERY SOLUTIONS LIMITED

GLAZED APERTURES and DOOR FRAMES (Vicaima Limited)

1. This approval relates to the cutting of apertures with or without glazing in doors supplied by Vicaima Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified doors for which the cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Resizing	Door Assemblies	
						Doorsets	Doors & Frames
CF218	FD30 'SDC'	✓	✓	✓	x	✓	✓
CF454	FD60	✓	✓	✓	x	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Apertures, glazing and frames shall be in accordance with Vicaima Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Vicaima Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry both the original manufacturer's CERTIFIRE approval label and a second label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

E013955-1 & E013955-2
Signed



EWC-QU-FT-730 (Issue 2)

Issued: 9th November 2004
Reissued: 18th December 2024
Valid to: 6th January 2029

Page 3 of 6

CERTIFICATE No CAF 151 DOOR & JOINERY SOLUTIONS LIMITED

BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Halspan Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Halspan Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Sizing & lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Door Assemblies	
						Doorsets	Doors & Frames
CF435	FD30 Prima blank	✓	✓	✓	✓	✓	✓
CF436	FD60 Prima blank	✓	✓	✓	✓	✓	✓
CF534	FD30 Optima blank	✓	✓	✓	✓	✓	✓
CF535	FD60 Optima blank	✓	✓	✓	✓	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Halspan Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Halspan Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

E013955-1 & E013955-2
Signed



EWC-QU-FT-730 (Issue 2)

Issued: 9th November 2004
Reissued: 18th December 2024
Valid to: 6th January 2029

Page 4 of 6



CERTIFICATE No CAF 151 DOOR & JOINERY SOLUTIONS LIMITED

BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Falcon Panel Products Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Falcon Panel Products Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Sizing & lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Door Assemblies	
						Doorsets	Doors & Frames
CF807	FD30 Strebord blank	✓	✓	✓	✓	✓	✓
CF808	FD60 Strebord blank	✓	✓	✓	✓	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Falcon Panel Products Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Falcon Panel Products Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

E013955-1 & E013955-2
Signed

EWC-QU-FT-730 (Issue 2)

Issued: 9th November 2004
Reissued: 18th December 2024
Valid to: 6th January 2029

Page 5 of 6

CERTIFICATE No CAF 151 DOOR & JOINERY SOLUTIONS LIMITED

BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Pacific Rim Wood Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Pacific Rim Wood Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes, and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Sizing & lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Door Assemblies	
						Doorsets	Doors & Frames
CF5260	FD30 Flamebreak blank	✓	✓	✓	✓	✓	✓
CF5261	FD60 Flamebreak blank	✓	✓	✓	✓	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Pacific Rim Wood Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Pacific Rim Wood Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

E013955-1 & E013955-2
Signed



EWC-QU-FT-730 (Issue 2)

Issued: 9th November 2004
Reissued: 18th December 2024
Valid to: 6th January 2029

Page 6 of 6